



C-FM6/FM4

6-pin to 4-pin FireWire Cables



The Kramer FM6/FM4 cables are high-performance cables with 6-pin Fire Wire connectors at one end, and a 4-pin connector at the other. They are used primarily for data transfer (IEEE 1394) at speeds up to 400Mbps between multimedia devices such as digital cameras, VCRs, CD drives, hard disks, scanners, graphic cards and editing systems.

FEATURES

- **Quality Construction** - Constructed using two separately double-shielded data cables, in an overall double-shielded outer jacket.
- **High Quality Connectors** - Has a molded 4-pin connector on one end, and a molded 6-pin connector on the other. The 4-pin connector is popular on cameras and other small devices due to its compact size, but PC's and other larger devices often use the 6-pin.
- **Varied Selection of Lengths** - Available in 3, 6, 10, 15 and 25ft versions (0.9 to 7.6m).



KRAMER ELECTRONICS, Ltd.
www.kramerelectronics.com

Model	Description	Feet	Meter
Male - Male			
C-FM6/FM4-3	6-Pin (M) to 4-Pin (M) FireWire Cable	3'	0.9M
C-FM6/FM4-6	6-Pin (M) to 4-Pin (M) FireWire Cable	6'	1.8M
C-FM6/FM4-10	6-Pin (M) to 4-Pin (M) FireWire Cable	10'	3.0M
C-FM6/FM4-15	6-Pin (M) to 4-Pin (M) FireWire Cable	15'	4.5M
C-FM6/FM4-25	6-Pin (M) to 4-Pin (M) FireWire Cable	25'	7.5M